



Shaker Heights On-Road Bicycle Route Network

June 2008

**Prepared By
Northeast Ohio Areawide Coordinating Agency
1299 Superior Avenue
Cleveland Ohio 44114**



The Northeast Ohio Areawide Coordinating Agency (NOACA) is a public organization serving the counties of and municipalities and townships within Cuyahoga, Geauga, Lake, Lorain and Medina (covering an area with 2.1 million people). NOACA is the agency designated or recognized to perform the following functions:


- Serve as the Metropolitan Planning Organization (MPO), with responsibility for comprehensive, cooperative and continuous planning for highways, public transit, and bikeways, as defined in the current transportation law.
- Perform continuous water quality, transportation-related air quality and other environmental planning functions.
- Administer the area clearinghouse function, which includes providing local government with the opportunity to review a wide variety of local or state applications for federal funds.
- Conduct transportation and environmental planning and related demographic, economic and land use research.
- Serve as an information center for transportation and environmental and related planning.
- At NOACA Governing Board direction, provide transportation and environmental planning assistance to the 172 units of local, general purpose government.

The NOACA Governing Board is composed of 38 local public officials.

The Board convenes monthly to provide a forum for members to present, discuss and develop solutions to local and areawide issues and make recommendations regarding implementation strategies. As the area clearinghouse for the region, the Board makes comments and recommendations on applications for state and federal grants, with the purpose of enhancing the region's social, physical, environmental and land use/transportation fabric.

NOACA invites you to take part in its planning process. Feel free to participate, to ask questions and to learn more about areawide planning. For more information, call:

(216) 241-2414 or log on at: <http://www.noaca.org>



2008 NOACA BOARD & COMMITTEES

BOARD OFFICERS

President: Mary E. Samide, Geauga County Commissioner
First Vice-President: William M. Grace, Mayor, City of Elyria
Second Vice President: James R. Gills, P.E., P.S., Lake County Engineer
Secretary: Peter Lawson Jones, President, Cuyahoga County Board of Commissioners
Assistant Secretary: Betty C. Blair, President, Lorain County Board of Commissioners
Treasurer: Stephen D. Hambley, Medina County Commissioner

Assistant Treasurer: Julius Ciaccia, Jr., Executive Director, Northeast Ohio Regional Sewer District
Assistant Treasurer: Robert E. Aufuldish, President, Lake County Board of Commissioners
Immediate Past President: Robert N. Brown, Director of Planning, City of Cleveland
Treasurer: Stephen D. Hambley, Medina County Commissioner
Assistant Treasurer: Julius Ciaccia, Jr., Exec. Director, Northeast Ohio Regional Sewer District
Assistant Treasurer: Robert E. Aufuldish, President, Lake County Board of Commissioners

BOARD MEMBERS

CUYAHOGA COUNTY

Robert G. Blomquist, Mayor, City of Olmsted Falls
Scott E. Coleman, Mayor, City of Highland Heights
Jimmy Dimora, Cuyahoga County Commissioner
Robert C. Downey, Cleveland Heights City Manager
Timothy Hagan, Cuyahoga County Commissioner
Peter Lawson Jones, President, Cuyahoga County Commissioners
Robert C. Klaiber, Jr., P.S., P.S., Cuyahoga County Engineer
Thomas O'Grady, Mayor, City of North Olmsted
Kevin C. Patton, Mayor, City of Solon
Michael S. Procuk, Mayor, Vge. of Brooklyn Heights
Robert A. Stefanik, Mayor, City of North Royalton

CITY OF CLEVELAND

Anthony Brancatelli, Councilman, City of Cleveland

Robert N. Brown, Dir., Planning Commission
Joseph Cimperman, Councilman, City of Cleveland
Roosevelt Coats, Councilman, City of Cleveland
Frank G. Jackson, Mayor, City of Cleveland
Jomarie Wasik, Director of Public Services

LAKE COUNTY

Ted Andrzejewski, Mayor, City of Eastlake
Robert E. Aufuldish, President, Lake County Board of Commissioners
James R. Gills, P.E., P.S., Lake County Engineer
Raymond E. Sines, Lake County Commissioner
Daniel P. Troy, Lake County Commissioner

GEAUGA COUNTY

Craig S. Albert, President, Geauga County Board of Commissioners
Mary E. Samide, Geauga County Board of Commissioner
William S. Young, Geauga County Commissioner

LORAIN COUNTY

Betty C. Blair, President, Lorain County Board of Commissioners
Kenneth P. Carney, Sr., P.E., P.S. Lorain County Engineer

William M. Grace, Mayor, City of Elyria
Ted Kalo, Lorain County Commissioner
Frank J. Pakish, Trustee, New Russia Township
John J. Piskura, Mayor, City of Sheffield Lake

MEDINA COUNTY

Lynda Bowers, Lafayette Township Trustee
Chris Easton, City of Wadsworth Public Service Director
Stephen D. Hambley, Medina County Board of Commissioners

NORTHEAST OHIO REGIONAL SEWER DISTRICT (NEORS)

Julius Ciaccia, Jr., Executive Director

GREATER CLEVELAND REGIONAL TRANSIT AUTHORITY (GCRTA)

George M. Dixon, Board President

OHIO DEPARTMENT OF TRANSPORTATION (ODOT)

Bonnie Teeuwen, Deputy Director, ODOT District 12

Ex officio Member:

William T. Skowronski, Chief, Northeast District Office, Ohio Environmental Protection Agency

ENVIRONMENTAL ADVISORY COMMITTEE

Chairperson: Timothy Hagan, Cuyahoga County Commissioner

AIR QUALITY SUBCOMMITTEE CHAIR:

Robert E. Aufuldish, Lake County Commissioner

WATER QUALITY SUBCOMMITTEE CHAIR:

James R. Gills, P.E., P.S., Lake County Engineer

CUYAHOGA COUNTY

Terry Allen, Cuyahoga County Health Commissioner
Anthony Brancatelli, Councilman, City of Cleveland
Matthew Carroll, Interim Director, Cleveland Public Health
Jimmy Dimora, Cuyahoga County Commissioner

Ann Gliha, Environmental Services Manager, Cuyahoga County Sanitary Engineer's Office (representing Sanitary Engineers)
Julius Ciaccia, Jr., Executive Director, NEORS
Jim Storer, Cuyahoga County Soil and Water Conservation District (representing Soil and Water Conservation Districts)

LAKE COUNTY

Robert E. Aufuldish, Lake County Commissioner
James R. Gills, P.E., P.S., Lake County Engineer
Frank Kellogg, Lake County Environmental Health Director (representing Local Air Agencies)

LORAIN COUNTY

Betty C. Blair, President, Lorain County Board of Commissioners

Ken Pearce, Lorain County Health Commissioner (representing Health Districts)
Kenneth P. Carney, Sr., P.E., P.S., Lorain County Engineer

MEDINA COUNTY

Stephen D. Hambley, Medina County Commissioner

GEAUGA COUNTY

Mary E. Samide, President, Geauga County Board of Commissioners

NON VOTING MEMBERS:

Lyn Luttner, Manager, Cleveland Office, US EPA
William T. Skowronski, Chief, Northeast District Office, Ohio Environmental Protection Agency

2008 NOACA BOARD AND COMMITTEES

PLANNING ADVISORY COMMITTEE

Chairperson: Patrice Theken, Director, Medina County Planning Commission

Paul A. Alsenas, Director, Cuyahoga County Planning Commission
Robert N. Brown, Director, Cleveland Planning Commission

David Dietrich, Director, Geauga County Planning Commission
Patrice Theken, Director, Medina County Planning Commission

William Ulik, Director, Lorain County Planning Commission
Darrell C. Webster, Director, Lake County Planning Commission

TRANSPORTATION ADVISORY COMMITTEE

Chairperson: William M. Grace, Mayor, City of Elyria

CUYAHOGA COUNTY

Paul A. Alsenas, Dir., Cuyahoga County Planning Comm.
Robert N. Brown, Dir., Cleveland Planning Commission
Joseph A. Calabrese, General Manager, GCRTA
Joseph Cimperman, Councilman, City of Cleveland
Randall DeVaul, P.E., Comm., Cleveland Dpt. Eng. & Cons.
Jimmy Dimora, Cuyahoga County Commissioner
Robert C. Downey, City Manager, City of Cleveland Hts.
Timothy Hagan, Cuyahoga County Commissioner
Robert C. Klaiber, Jr., P.E., P.S., Cuyahoga County Engineer
Rob Mavec, Commissioner, Cleveland Traffic Engineering

LAKE COUNTY

Robert E. Aufuldish, Lake County Commissioner
James R. Gills, P.E., P.S., Lake County Engineer
Raymond Jurkowski, General Manager, LAKETRAN

Daniel P. Troy, Lake County Commissioner
Darrell C. Webster, Director, Lake County Commission

LORAIN COUNTY

Robin Bulan, General Manager, Lorain County Transit
Betty C. Blair, Lorain County Commissioner
Kenneth P. Carney, Sr., P.E., P.S., Lorain County Engineer
William M. Grace, Mayor, City of Elyria
Ted Kalo, President, Lorain County Board of Commissioners
William Ulik, Dir., Lorain County Planning Commission

GEAUGA COUNTY

David Dietrich, Dir., Geauga County Planning Commission
R.L. Phillips, P.E., Geauga County Engineer
Kristina Fenselon, Transit Director, Geauga County Transit
Mary E. Samide, Geauga County Commissioner

MEDINA COUNTY

Stephen D. Hambley, Medina County Commissioner
Michael Salay, P.E., Medina County Engineer
Patrice Theken, Director, Medina County Planning Commission
Scott Uhas, Director, Medina County Transit

OTHER VOTING MEMBERS: District Deputy Directors:
Bonnie Teeuwen, DD (ODOT 12); John Hart (ODOT 3)

William T. Skowronski, Chief, Northeast District Office Ohio EPA

PRIVATE SECTOR VOTING MEMBERS:

Frank Detillio, President, Lorain County Chamber of Commerce (Lorain County)
James Douth, Executive Director, Medina County Economic Development Corporation (Medina County)
Deb Janik, Sr. Vice President, Greater Cleveland Partnership (Cuyahoga County)
John Loftus, Executive Director, Lorain County Port Authority (Lake County)
Bill Skomrock, Jr., Safety Manager, DistTech (Gauga County)

NON VOTING MEMBERS:

James Cardina, Fairport Harbor Port Authority
Dennis A. Decker, FHWA Ohio Division Administrator
Adam Wasserman, Cleveland Cuyahoga County Port Authority
Ricky D. Smith, Director, Cleveland Department of Port Control, Cleveland Hopkins International Airport
Ernest Gubry, Federal Aviation Administration
Richard Novak, Executive Director, Lorain Port Authority
Gary Suhadolnik, Executive Director, Ohio Turnpike Commission

NOACA DIRECTORS

Howard R. Maier, FAICP, Executive Director
Stephen E. DeJohn, Esq., Director, Legal Counsel
Cheryl A. Kurkowski, CPA, Director of Finance & Operations
Jamy Wheeler, Director of Planning & Support Services

Planning and Programs Division Directors:
Ronald T. Eckner, P. E., Director of Planning
John Hosek, Director of Programs

Planning and Programs Division Associate Directors:

Bill Davis, Associate Director of Planning
Steve Jones, Associate Director of Divisional Services

Page Intentionally Left Blank

1) Title & Subtitle: Shaker Heights On-Road Bicycle Route Network	2) Report No. : TR-08-13
3) Author(s): Maher Holozadah, Senior Transportation Engineer	4) Report Date: June 2008
5) Performing Organization Name & Address: Northeast Ohio Areawide Coordinating Agency 1299 Superior Avenue, Cleveland, OH 44114-3204 Phone: (216) 241-2414 FAX: (216) 621-3024 Web site: www.noaca.org	6) Project & Task No. : 6253-1
	7) Contract/Grant No. : ODOT/FHWA
8) Sponsoring Agency Name & Address: Ohio Department of Transportation 1980 W. Broad St., Box 899 Columbus, OH 43216-0899	9) Type of Report & Period Covered: Technical study July 2007-June 2008
	10) Sponsoring Agency Code:
11) Supplementary Notes: Federal funding for this project was provided by the Federal Highway Administration and administered by the Ohio Department of Transportation.	
12) Abstracts: Reconnaissance of existing conditions and prevailing environment. Select roadways suitable for designating as on-road bicycle routes throughout the City of Shaker Heights. Establish a suggested on-road bicycle route network and provide a suggested or typical signage and pavement markings plan.	
13) Key Words & Document Analysis: A. Descriptors: Shaker Heights on-road bicycle route network, suggested signage and pavement markings plan; NOACA regional priority bicycle routes; treatment at key locations and bicycle crossings; Shared lane markings (sharrow); and community points of interest. B. Identifiers/Open Ended Terms: Shaker Heights on-road bicycle route network, NOACA regional priority bicycle routes, Typical bicycle route signage and pavement markings, and community points of interest.	
14) Availability Statement: Available in print and on the NOACA Web site	15) No. Pages: 40
	16) Price:

Reviewers

NOACA:

Ron Eckner, Director of Planning, Planning and Programs Division

William Davis, Associate Director of Planning, Planning and Programs Division

Mahmoud Al-Lozi, Principal Planning Engineer

Sahar Tawfiq, Transportation Planning Engineer

Jim Armaline, Senior Planning Engineer

Michelle Johnson, Planner

Gayle Godek, Communications Specialist

City of Shaker Heights:

Dan Feinstein, Planner

Ann Klavora, Planner

Shaker Heights On-Road Bicycle Route Network

June 2008

**Prepared By
Northeast Ohio Areawide Coordinating Agency
1299 Superior Avenue
Cleveland Ohio 44114**

Principal Author

Maher Holozadah,
Senior Transportation Engineer

Contributors

Mahmoud Al-Lozi, Principal Planning Engineer
Sahar Tawfiq, Transportation Engineer
Gary Grano, Senior Transportation Planner
Gayle L. Godek, Communications Specialist

MARY E. SAMIDE
BOARD PRESIDENT

HOWARD R. MAIER
EXECUTIVE DIRECTOR

The preparation of this publication was financed through grants received from the Federal Highway Administration and the Ohio Department of Transportation and appropriations from the counties of and municipalities within Cuyahoga, Geauga, Lake, Lorain and Medina. The contents do not necessarily reflect official views or policies of the U.S. Department of Transportation or the Ohio Department of Transportation. This report does not constitute a standard or regulation.

Page Intentionally Left Blank

Table of Contents

	Page
Executive Summary	1
Introduction	2
Study Area	2
Rationale for the Selection of the Bicycle Route Network	5
Suggested On-Road Bicycle Route Network	6
NOACA Regional Priority Bicycle Routes	11
Suggested Typical Signage and Pavement Markings	17
Suggested Treatment at Key Locations	20
Appendices	41



Page Intentionally Left Blank

Executive Summary

The City of Shaker Heights requested NOACA to help select an on-road bicycle route network for Shaker Heights. NOACA staff, in concert with staff from the City of Shaker Heights, studied the area and selected a network based on the rationale described in this study report. The network serves the entire City of Shaker Heights and provides reasonably adequate service to the east-west and north-south directions. It also provides access to many points of interest in the community.

The City of Shaker Heights has been studying and pursuing the introduction of bicycle routes in the city to enhance its community appeal and to provide a safe alternative mode of transportation. The city has

introduced and built some off-road, multipurpose paths and trails but felt it also needed to complement such trails with on-road bicycle routes to facilitate access to the off-road trails and to provide safer routes for bicycle travel as a means to reach local destinations and points of interest.

The city applied for and received an assistance grant from NOACA through NOACA's Transportation for Livable Communities Initiative (TLCI) program. The request for funding was approved in Fiscal Year (FY) 2005. The study was undertaken by NOACA through its Neighborhood Planning Assistance element of the FY 2008 Overall Work Program.



Introduction

Bicycle facilities in various forms, such as dedicated bike lanes on existing roadways, designated bike routes sharing the road with the general vehicular traffic, exclusive single-purpose off-road bikeways, and bikeways within paved multipurpose paths, have become an important part in any integrated transportation system. While the primary use of bicycle facilities is for recreational purposes, there is a growing interest in using them for general and commuter travel needs.

The City of Shaker Heights is home to many community activity centers and other points of interest. The city, therefore, requested this study be undertaken to integrate bicycle travel with the existing roadway network and enable residents to reach destinations by bicycle on safe, well defined, and clearly marked bicycle routes.

About forty percent (40%) of vehicular trips nationally are general-purpose trips to destinations within two

miles from place of residence. It is believed that promoting or encouraging bicycling can be achieved by providing safe and convenient bicycle facilities. Using bicycles as a mode of transportation would reduce the use of motor vehicles for short distance trips and also reduce reliance on motor vehicles as the only means of transportation. This reduction directly benefits the public through the associated reduction in pollutants emitted.


According to NOACA's transportation model, approximately 15 percent of all two-way, single-occupancy passenger vehicle trips are three miles or less, nine percent are two miles or less and four percent are one mile or less. Not included in these percentages are trips to high schools, colleges, and universities; trips in and out of NOACA's five counties; and trips made from somewhere other than home, such as driving to a restaurant from work for lunch.

Study Area

The study area encompasses all of the City of Shaker Heights. The on-road bicycle route network is intended to serve the entire city as practically as possible. The network was chosen in a manner to ensure that it passes through or near population areas to encourage residents to use bicycles

not only for pleasure and recreational purposes, but also as an alternative means of transportation, at least for short trips.

See map of the City of Shaker Heights and surrounding areas.



Rationale for the Selection of the On-Road Bicycle Route Network

Staff from NOACA and the City of Shaker Heights toured the suburb together by car and on bicycles to gain a more intimate understanding of the prevailing environment. In addition, NOACA staff made several field visits and stops at many locations along the preliminary

candidate roadways to gain direct physical experience with the prevailing conditions. NOACA staff selected the suggested bicycle routes that form the bicycle route network based on the following rationale as well as judgments generated from scouting the field:

1. Bicycle routes were selected to be on roads that are primarily parallel and in close proximity to major roadways;
2. Roads that carry less traffic volumes than others;
3. Roads that provide more scenic or pleasant surroundings for a more enjoyable ride;
4. Roads that connect or lead to major activity centers and other points of interest such as schools, recreation centers, public parks, public libraries, City Hall, and public transit stations;
5. Roadways that have fewer or safer intersections to minimize the number of crossing locations and any risks associated with crossing;
6. Roadways with minimum crossings at major intersections that are heavily travelled by vehicular traffic;
7. Ensure that the bicycle network is fully connected and continuous;
8. Roadways that provide adequate directional access to serve the north-south as well as the east-west directions;
9. Roadways that are conducive to being connected to further additions of more bicycle routes and spurs;
10. Roadways that connect with or are close to existing off-road bicycle routes and trails;
11. Roadways that pass through residential areas to encourage more use of bicycles by the resident population; and
12. Roads that are consistent with, close, or connect to NOACA's regional bicycle priority routes.


Suggested On-Road Bicycle Route Network

The suggested on-road bicycle route network is shown on the following two maps. The first map shows the suggested on-road bicycle route network and how it closely passes by various attractions and destinations in the city. It also shows the bicycle routes relative to the mass transit system, including light rail stations and bus routes and stops. The second map shows the location of the on-road bicycle route network relative to various landmarks in Shaker Heights, such as lakes, parks, and schools.

In some instances, bicycle routes are designated on roads that pass through multiple jurisdictional boundaries or corporation lines. Neighboring communities are urged to cooperate and coordinate their planning efforts and activities to integrate their bicycle route networks. They are encouraged to work together to help make bicycle route connections outside their municipal boundaries possible.



Shaker Heights On-Road Bicycle Route Network with GCRTA Light Rail and Bus Lines




Places of Interest in Shaker Heights

1. Shaker Heights City Hall
3400 Lee Road
2. Shaker Heights Service Center
Public Works
15600 Chagrin Boulevard
3. Shaker Community Building
3450 Lee Road
4. Shaker Heights Public Library
Main Library
16500 Van Aken Boulevard
5. Onaway Elementary
3115 Woodbury Road
6. Shaker Heights High School
15911 Aldersyde Drive
7. Shaker Heights City Schools
Administration Building
15600 Parkland Drive
8. Woodbury Elementary
15400 South Woodland Road
9. Boulevard Elementary
14900 Drexmore Road
10. The Nature Center at Shaker
Lakes
2600 South Park Boulevard
11. The Shaker Historical Museum
16740 South Park Boulevard
12. Horseshoe Lake Park

- | | | | | |
|---|---|---|---|---|
| 13. Fernway Elementary
16740 Fernway Road | 16. Lomond Elementary
17917 Lomond Boulevard | 19. Thornton Park
20710 Farnsleigh Road | 22. Shaker Heights Public Library
Bertram Woods Branch
20600 Fayette Road | 25. University School
29791 Brantley Road |
| 14. Shaker Heights Youth Center
17300 Van Aken Boulevard | 17. Shaker Family Center
19824 Sussex Road | 20. Hathaway Brown School
19600 North Park Boulevard | 23. Shaker Heights Middle School
20600 Shaker Boulevard | 26. Mercer Elementary
23325 Wimbledon Road |
| 15. Fire Station #1
17000 Chagrin Boulevard | 18. St. Dominic School
3455 Norwood Road | 21. Hanna Perkins Center
19910 Malvern Road | 24. Fire Station #2
2801 Warrensville Center Road | 27. Laurel School
1 Lyman Circle |

- Points of Interest
- GCRTA Light Rail Stations
- Existing Off-Road Multipurpose Trails
- Suggested On-Road Bicycle Route Network
- GCRTA Light Rail Lines
- GCRTA Bus Routes

Shaker Heights On-Road Bicycle Route Network Relative to Existing Landmarks



Places of Interest in Shaker Heights

1. Shaker Heights City Hall
3400 Lee Road
2. Shaker Heights Service Center
Public Works
15600 Chagrin Boulevard
3. Shaker Community Building
3450 Lee Road
4. Shaker Heights Public Library
Main Library
16500 Van Aken Boulevard
5. Onaway Elementary
3115 Woodbury Road
6. Shaker Heights High School
15911 Aldersyde Drive
7. Shaker Heights City Schools
Administration Building
15600 Parkland Drive
8. Woodbury Elementary
15400 South Woodland Road
9. Boulevard Elementary
14900 Drexmore Road
10. The Nature Center at Shaker
Lakes
2600 South Park Boulevard
11. The Shaker Historical Museum
16740 South Park Boulevard
12. Horseshoe Lake Park
13. Fernway Elementary
16740 Fernway Road

14. Shaker Heights Youth Center
17300 Van Aken Boulevard
15. Fire Station #1
17000 Chagrin Boulevard

16. Lomond Elementary
17917 Lomond Boulevard
17. Shaker Family Center
19824 Sussex Road

18. St. Dominic School
3455 Norwood Road
19. Thornton Park
20710 Farnsleigh Road

20. Hathaway Brown School
19600 North Park Boulevard
21. Hanna Perkins Center
19910 Malvern Road

22. Shaker Heights Public Library
Bertram Woods Branch
20600 Fayette Road
23. Shaker Heights Middle School
20600 Shaker Boulevard

24. Fire Station #2
2801 Warrensville Center Road
25. University School
29791 Brantley Road

26. Mercer Elementary
23325 Wimbledon Road
27. Laurel School
1 Lyman Circle

- Points of Interest
- GCRTA Light Rail Stations
- Existing Off-Road Multipurpose Trails
- Suggested On-Road Bicycle Route Network
- GCRTA Bus Routes
- GCRTA Light Rail Lines


Regional Priority Bicycle Routes

NOACA's Regional Bicycle Transportation Plan, published in March 2008, addresses the subject of project reconstruction priorities for roads considered as candidates for regional bicycle facilities. It "reflects NOACA's priorities for roads that should accommodate bicyclists." The plan states, "Road reconstruction, major rehabilitation, and widening projects on these routes using NOACA-attributable dollars shall include bicycle facilities unless it is demonstrated pursuant to NOACA's Bicycle and Pedestrian Policy that bicycle facilities are not feasible. In this case, that route shall be removed from the Bicycle Priority Plan and an alternative will be designated if possible." The following map shows the regional bicycle routes within the City of Shaker Heights.



The plan further states that "For these projects, the bicycle accommodation can be part of the project, which is a more cost-effective way of achieving bicycle accommodation." When non-NOACA funds are used, the plan states that "For projects on the Priority Plan using non-NOACA funds, inclusion

of bikeways is strongly encouraged in order to have an effective, interconnecting bikeway system. The appropriate type of bikeway (i.e., bike lane, route, path, paved shoulders, wide curb lanes, etc.) will be determined based on the specific road or bridge conditions."

Joint reconnaissance by and discussions among Shaker Heights and NOACA staff led to the establishment of this suggested on-road local bicycle network. The Shaker Heights On-Road Bicycle Route Network supports and complements NOACA's Regional Bicycle Transportation Plan by providing local residential access to the regional priority routes. The local network is within close proximity of the NOACA Regional Priority network and provides a continuous loop. When the regional priority routes are due for reconstruction, Shaker Heights may evaluate the feasibility of incorporating bicycle routes into the reconstruction plan and whether to add the roadway to its local bicycle route network or substitute it with one of the local bicycle routes. The two networks and their relative relationship are shown on the following map.



NOACA Regional Priority Bicycle Routes Relative to the Suggested On-Road Bicycle Route Network



Suggested Typical Signage and Pavement Marking


Bicyclists should be able to identify easily the designated bicycle routes. Clearly marked bicycle routes are important for the safety of cyclists as road users are more likely to pay closer attention to the presence of bicyclists when they recognize that the particular road they are using is also shared by bicyclist. Furthermore, bicycle routes should have signs with destination information to enable bicyclists unfamiliar with the community to find their way to their destinations. When bicyclists know that the bicycle routes in their communities are fully connected and integrated with other modes of transportation, they will likely feel more confident that these routes will not lead them astray. They will know that these routes can bring them back to the same point from which they started because the routes are continuous and form a complete circuit.

The following suggested measures will help identify and mark the designated bicycle routes:

- Space posted signs at approximately ¼-mile intervals.
- Stencil or imprint, at 250-ft intervals on the pavement, the “Shared-Lane” marking symbol, also commonly known as “sharrow,” to mark or identify the designated bicycle routes.
- Install destination signs (i.e., the public library, schools by name, community centers, public parks, City Hall, golf course, etc.).
- Use high reflectivity, durable, white paint on the pavement, as shown on the schematic diagrams.
- Use warning yellow flashing lights in both directions at bicycle crossings where traffic does not stop to increase the visibility of crossing locations and to alert drivers to the likelihood of the presence of bicyclists.


The following two templates show suggested typical signage and pavement markings on and at intersections along the bicycle route network.

Suggested Typical Signage and Pavement Marking



Prepared by NOACA, June 2008

Suggested Typical Signage and Pavement Marking



Prepared by NOACA, June 2008

Suggested Treatment at Key Locations




Pavement markings and bicycle route signage at many key locations are shown on the following schematic diagrams to illustrate how to define and highlight these locations for better visibility. The signs identify the bicycle routes and help bicyclists recognize and follow the bicycle routes as they travel. The pavement-marking scheme increases safety by increasing awareness among cyclists and drivers sharing the road. The pavement marking and signage schemes help to point out the preferred locations for crossing and to guide cyclists to the direction of the flow of bicycle traffic. The signs and caution/warning devices highlight the existence of bicycle routes

and urge motorists to be cognizant that bicycles and vehicles coexist and share the same roadway facilities.

The “Detail Insets” map shows key locations for which suggested detail treatment at each location is illustrated in a separate drawing inset. All other locations for which insets were not provided are deemed ordinary or typical and should be treated according to the template showing suggested typical pavement marking and signage. All traffic control devices shown on the maps or sketches are those that presently exist.




Shaker Heights On-Road Bicycle Route Network Detail Insets



Inset 1a


South Park Boulevard - South Park Boulevard Alternative 1 (Existing Intersection Geometry)



Prepared by NOACA, June 2008

Inset 1b

South Park Boulevard - South Park Boulevard Alternative 2 (Modified Intersection Geometry)



Prepared by NOACA, June 2008

Inset 1c


South Park Boulevard - South Park Boulevard Illustration of Alternative 2 on Aerial Photo



Suggested Modified Intersection Layout: Convert the intersection into a simple T-intersection to change the existing traffic movement pattern in order to reduce the number of crossings and the vehicular traffic movement conflicts with bicycle traffic.

Inset 2

Lee Road - South Park Boulevard - North Park Boulevard - Horseshoe Lake Spur



Prepared by NOACA, June 2008


The diagram above illustrates the off-road spur connecting the off-road multipurpose paths along both North Park Boulevard in Cleveland Heights and South Park Boulevard in Shaker Heights and their relative interconnection with the on-road bicycle route on South Park Boulevard.



Aerial photo of the area represented in the diagram above.

Inset 3

South Park Boulevard - Attleboro Road - Park Drive




Prepared by NOACA, June 2008

This diagram illustrates the on-road bicycle route connection to Horseshoe Lake Park and the off-road multipurpose path.

Inset 4

Onaway Circle: The Western Section




Prepared by NOACA, June 2008

Note: All traffic control devices shown in this diagram are as they currently exist. No new ones were suggested.

Inset 5

Onaway Circle: The Eastern Section




Prepared by NOACA, June 2008

Note: All traffic control devices shown in this diagram are as they currently exist. No new ones were suggested.

Inset 6

Attleboro Road - Aldersyde Drive - Parkland Drive




Prepared by NOACA, June 2008

Note: All traffic control devices shown in this diagram are as they currently exist. No new ones were suggested.

Inset 7

Van Aken Boulevard - Lee Road

Alternative 1




Prepared by NOACA, June 2008

Inset 7a

Van Aken Boulevard - Lee Road


Alternative 2



Prepared by NOACA, June 2008

Inset 8


Van Aken Boulevard - Avalon Road



Prepared by NOACA, June 2008

Inset 9


Farnsleigh Road - Winslow Road



Prepared by NOACA, June 2008


Inset 10

Van Aken Boulevard - Farnsleigh Road



Inset 11

Farnsleigh Road - Helen Road - Halworth Road




Prepared by NOACA, June 2008

This diagram illustrates the suggested on-road bicycle route connection to Thornton Park.

Inset 12


South Woodland Road - Belvoir Oval



Prepared by NOACA, June 2008

Inset 13


Shaker Boulevard - Belvoir Boulevard



Prepared by NOACA, June 2008

Inset 14

Shaker Boulevard - Warrensville Center Road - South Park Boulevard - Claythorne Road



Prepared by NOACA, June 2008

Note: Arrows illustrate the connection between the Shaker Boulevard Median Multipurpose Trail and the South Park suggested on-road bicycle route. Riders will cross Warrensville Center Road at the Shaker Boulevard eastbound side and ride on the sidewalk to South Park Boulevard.

Appendices

A. Material Concerning Shared Lane Marking and Identification

B. Information, Destinations, and Guide Signs



Page Intentionally Left Blank

Appendix A

Material Concerning Shared Lane Marking and Identification



Page Intentionally Left Blank



National Committee on Uniform Traffic Control Devices

17200 West Bell Road No. 1135 * Surprise, Ariz. 85374
Telephone (623) 214-2403 * e-mail: ncutcd@aol.com

TECHNICAL COMMITTEE RECOMMENDATION

TECHNICAL COMMITTEE: Bicycle Technical Committee

DATE OF ACTION: 07 January 2005 (*revised 23 June 2005, 18 January 2007*)

TOPIC: Proposed Shared Lane Marking
Part 9 of the MUTCD

ORIGIN OF REQUEST: NCUTCD Bicycle Technical Committee

DISCUSSION:

Traffic lanes are often too narrow to be shared side-by-side by bicyclists and passing motorists. Where parking is present, bicyclists wishing to stay out of the way of motorists often ride too close to parked cars and risk being struck by a suddenly opened car door (being "doored"). Where no parking is present, bicyclists wishing to stay out of the way of motorists often ride too close to the roadway edge, where they run the risks of being run off the road, being clipped by overtaking motorists who misjudge passing clearance, or of encountering drainage structures, poor pavement, debris, and other hazards.

Riding further to the left avoids these problems, and is legally permitted where needed for safety. However, this practice can run counter to motorist expectations. A pavement marking that indicates the legal and appropriate bicyclist line of travel, and cues motorists to pass with sufficient clearance, is needed. In recognition of this need, several symbols and variations are being used by numerous local agencies around the country.

To address this growing problem, the City of San Francisco selected two (2) candidate Shared Lane Markings based on a human factors study, and conducted an on-street test of those markings that was completed in February of 2004.

The results showed significant improvements to bicyclists' and motorists' positioning in the roadway, and identified the bike-with-chevron marking as most effective. These results have since provided guidance to the California Department of Transportation (Caltrans) to adopt the Shared Lane Marking in the California Supplement to the MUTCD.

The draft proposal that the Bicycle Technical Committee is transmitting to sponsors is based on the findings of the San Francisco study and the language and figure adopted in the MUTCD California Supplement.

Results from the San Francisco study indicate that the shared lane marking:

- Improves positioning of the bicyclist and motorist
 - Increases the distance between bicyclists and parked cars (by 8 inches in the SF study)
 - Increases the distance between overtaking motorists and bicyclists (by 2 feet in the SF study)
- Improves bicyclist behavior
 - Reduces wrong-way bicycling, a major cause of collisions (by 80% in the SF study)
- Reminds motorists of likely bicyclist presence
 - When surveyed, motorists claimed they did not notice the marking; however, the data indicates that their position on the roadway was adjusted to better accommodate bicyclists.




Diagram from San Francisco Shared Lane Marking study

These proposed changes were also reviewed by the NCUTCD Markings Technical Committee at their meeting in January 2005.

COMMITTEE ACTION:

The Bicycle Technical Committee recommends that the National Committee forward this proposal to Federal Highway Administration for consideration.

Approved 35-0-3 by NCUTCD Council 19 January 2007.

Section 9C.XX Shared Lane Marking

Support:

The Shared Lane Marking is intended to:

1. Help bicyclists position themselves in lanes too narrow for a motor vehicle and a bicycle to travel side by side within the same traffic lane;
2. Encourage safe passing of bicyclists by motorists;
3. Reduce the chance of a bicyclist's impacting the open door of a parked vehicle in a shared lane with on-street parallel parking;
4. Alert road users of the lateral location bicyclists may occupy; and
5. Reduce the incidence of wrong-way bicycling.

Option:

The Shared Lane Marking shown in Figure 9C-X may be used to assist bicyclists with positioning in a shared lane with on-street parallel parking and to alert road users to the location a bicyclist may occupy within the traveled way.

Standard:

If used in a shared lane with on-street parallel parking, Shared Lane Markings shall be placed so that the centers of the markings are a minimum of 3.3 m (11 ft) from the curb face, or from the edge of pavement where there is no curb.

Shared Lane Markings shall not be used on shoulders or in designated bicycle lanes.

Guidance:


The Shared Lane Marking should not be placed on roadways with a speed limit above 55 km/h (35 mph).

When used, the Shared Lane Marking should be placed immediately after an intersection and spaced at intervals not greater than 75 m (250 ft) thereafter.

Option:

When the shared lane marking is used, the distance from the curb or from the edge of pavement or paved shoulder may be increased beyond 3.3 m (11 ft).

Figure 9C-XX. Shared Lane Marking



Page Intentionally Left Blank

Appendix B

Information, Destinations, and Guide Signs




Page Intentionally Left Blank

Information, Destinations, and Guide Signs

Ohio Manual of Uniform Traffic Control Devices (OMUTCD), 2005

Warning Signs



Information, Destinations, and Guide Signs

Ohio Manual of Uniform Traffic Control Devices (OMUTCD), 2005

Guide Signs



D11-1




D1-1b



D1-1c



D1-H4



D1-H4a



M7-2



M7-3



M7-4



M7-5



M7-6



M7-7